Pain, 63 (1995) 397–399
© 1995 Elsevier Science B.V. All rights reserved 0304-3959/95/$09.50

Author Index to Volume 63 (1995)

Anderson, K.O., Dowds, B.N., Pelletz, R.E., Edwards, W.T. and Peeters-Asdourian, C.
Development and initial validation of a scale to measure self-efficacy beliefs in patients with chronic pain (63) 77
Andreev, N.Yu., Dimitrieva, N., Koltzenburg, M. and McMahon, S.B.
Peripheral administration of nerve growth factor in the adult rat produces a thermal hyperalgesia that requires the presence of sympathetic post-ganglionic neurones (63) 109
Aprill, C., see Bogduk, N. (63) 391
Ardid, D., see Jourdan, D. (63) 237
Ashby, M., see Paix, A. (63) 263

Bach, F.W., see Langemark, M. (63) 103
Baron, R. and Maier, C.
Reply to Vecht and Sillevis Smitt (63) 391
Basbaum, A.I., see Detweiler, D.J. (63) 251
Belfrage, M., see Hsieh, J.-C. (63) 225
Bellomo, R., see Lewis, B. (63) 361
Bennett, G.J., see Iadarola, M.J. (63) 55
Bennett, G.J., see Park, K.M. (63) 163
Berde, C.B., see Collins, J.J. (63) 271
Berman, K.F., see Iadarola, M.J. (63) 55
Besson, J.-M., see Honoré, P. (63) 365
Birch, P.J., see Munglani, R. (63) 21
Boas, R., see Stanton-Hicks, M. (63) 127
Bogduk, N., Schwarzer, A. and Aprill, C.
Reply to P. Graziotti and R. Goucke (63) 391
Bond, A., see Munglani, R. (63) 21
Booker, D., see Maixner, W. (63) 341
Bouter, L.M., see Koes, B.W. (63) 279
Brooksbank, M., see Paix, A. (63) 263
Bulcroft, R.A., see Romano, J.M. (63) 353
Buritova, J., see Honoré, P. (63) 365
Byas-Smith, M.G., see Iadarola, M.J. (63) 55

Carmody, J.
Avoiding fallacies in nociceptive measurements (63) 136
Carr, J.E., see Syrjala, K.L. (63) 189
Champion, D., see Spence, S.H. (63) 199
Chandler, M.J., see Razook, J.C. (63) 117
Chapuy, E., see Jourdan, D. (63) 237
Coghill, R.C., see Iadarola, M.J. (63) 55
Coleman, A., see Paix, A. (63) 263
Collins, J.G., see Saito, Y. (63) 303
Collins, J.J., Berde, C.B., Grier, H.E., Nachmanoff, D.B. and Kinney, H.C.
Massive opioid resistance in an infant with a localized metastasis to the midbrain periaqueductal gray (63) 271
Couret Jr., L.C., see Vaccarino, A.L. (63) 385
Cumming, G., see Lewis, B. (63) 361

Dane, J.R., see Kiernan, B.D. (63) 391
Danzebrink, R.M., Green, S.A. and Gebhart, G.F.
Spinal mu and delta, but not kappa, opioid-receptor agonists attenuate responses to noxious colorectal distension in the rat (63) 39
Davis, M.W., see Syrjala, K.L. (63) 189
Detweiler, D.J., Rohde, D.S. and Basbaum, A.I.
The development of opioid tolerance in the formalin test in the rat (63) 251
Dimitrieva, N., see Andreev, N.Yu. (63) 109
Donaldson, G.W., see Syrjala, K.L. (63) 189
Dowds, B.N., see Anderson, K.O. (63) 77

Eccleston, C.
The attentional control of pain: methodological and theoretical concerns (63) 3
Edwards, W.T., see Anderson, K.O. (63) 77
Ekholm, J., see Kosek, E. (63) 335
Ekman, R., see Langemark, M. (63) 103
Elliot, P.J., see Munglani, R. (63) 21
Eschalier, A., see Jourdan, D. (63) 237

Fillingim, R., see Maixner, W. (63) 341
Follenfant, R.L., see Nakamura-Craig, M. (63) 33
Foreman, R.D., see Razook, J.C. (63) 117
Friedman, L.S., see Romano, J.M. (63) 353

Galea, L.A.M., see Kavaliers, M. (63) 327
Gam, A.N. and Johannsen, F.
Ultrasound therapy in musculoskeletal disorders: a meta-analysis (63) 85
Gebhart, G.F., see Danzebrink, R.M. (63) 39
Gibson, S.J., see Morris, G.C. (63) 93
Goehler, L.E., see Watkins, L.R. (63) 289
Goucke, R., see Graziotti, P. (63) 391
Gracely, R.H., see Iadarola, M.J. (63) 55
Gracely, R.H., see Park, K.M. (63) 163
Graziotti, P. and Goucke, R.
Comments on Schwarzer et al., PAIN, 58 (1994) 195–200 (63) 391
Green, S.A., see Danzebrink, R.M. (63) 39
Grier, H.E., see Collins, J.J. (63) 271
Grigson, J., see Paix, A. (63) 263
Grond, S., see Zech, D.F.J. (63) 65

Haddox, J.D., see Stanton-Hicks, M. (63) 127
Hallin, R., see Torebjörk, E. (63) 11
Hansson, P., see Hsieh, J.-C. (63) 225
Hansson, P., see Kosek, E. (63) 335
Harrison, S.M., see Munglani, R. (63) 21
Hassenbusch, S., see Stanton-Hicks, M. (63) 127
Helme, R.D., see Morris, G.C. (63) 93
Hénon, H., see Honoré, J. (63) 213
Hertel, D., see Zech, D.F.J. (63) 65
Holdcroft, A., see Sapsed-Byrne, S. (63) 255
Honoré, J., Hénon, H. and Naveteur, J.
Influence of eye orientation on pain as a function of anxiety (63) 213
Honoré, P., Buritova, J. and Besson, J.-M.
Aspirin and acetaminophen reduced both Fos expression in rat lumbar spinal cord and inflammatory signs produced by carrageenin inflammation (63) 365

Hops, H., see Romano, J.M. (63) 353
Hoskin, P.J.
Radiotherapy for bone pain (63) 137
Hsieh, J.-C., Belfrage, M., Stone-Elander, S., Hansson, P. and Ingvar, M.
Central representation of chronic ongoing neuropathic pain studied by positron emission tomography (63) 225
Hunt, S.P., see Munglani, R. (63) 21

Iadarola, M.J., Max, M.B., Berman, K.F., Byas-Smith, M.G., Coghill, R.C., Gracely, R.H. and Bennett, G.J.
Unilateral decrease in thalamic activity observed with positron emission tomography in patients with chronic neuropathic pain (63) 55
Ichikawa, H., see Sugimoto, T. (63) 49
Ingvar, M., see Hsieh, J.-C. (63) 225
Ishimaru, K., Kawakita, K. and Sakita, M.
Analgesic effects induced by TENS and electroacupuncture with different types of stimulating electrodes on deep tissues in human subjects (63) 181

Jänig, W., see Stanton-Hicks, M. (63) 127
Jensen, M.P., see Romano, J.M. (63) 353
Johannsen, F., see Gam, A.N. (63) 85
Jourdan, D., Ardid, D., Chapuy, E., Eschalier, A. and Le Bars, D.
Audible and ultrasonic vocalization elicited by single electrical nociceptive stimuli to the tail in the rat (63) 237

Kaneko, M., see Saito, Y. (63) 303
Kavaliers, M. and Galea, L.A.M.
Sex differences in the expression and antagonism of swim stress-induced analgesia in deer mice vary with the breeding season (63) 327
Kawakita, K., see Ishimaru, K. (63) 181
Kest, B., see Sternberg, W.F. (63) 321
Kiernan, B.D., Dane, J.R. and Price, D.D.
Hypnotic analgesia and nociceptive reflex activity: reply to Y. Sharav and M. Tal (63) 391
Kinney, H.C., see Collins, J.J. (63) 271
Kippes, M.E., see Syrjala, K.L. (63) 189
Kirihara, Y., see Saito, Y. (63) 303
Koes, B.W., Scholten, R.J.P.M., Mens, J.M.A. and Bouter, L.M.
Efficacy of epidural steroid injections for low-back pain and sciatica: a systematic review of randomized clinical trials (63) 279
Koltzenburg, M., see Torebjörk, E. (63) 11
Koltzenburg, M., see Andreev, N.Yu. (63) 109
Kopp, M., Richter, R., Rainer, J., Kopp-Wilfling, P., Rumpold, G. and Walter, M.H.
Differences in family functioning between patients with chronic headache and patients with chronic low back pain (63) 219
Kopp-Wilfling, P., see Kopp, M. (63) 219
Kosaka, Y., see Saito, Y. (63) 303
Kosek, E., Ekholm, J. and Hansson, P.
Increased pressure pain sensibility in fibromyalgia patients is located deep to the skin but not restricted to muscle tissue (63) 335

Langemark, M., Bach, F.W., Ekman, R. and Olesen, J.
Increased cerebrospinal fluid Met-enkephalin immunoreactivity in patients with chronic tension-type headache (63) 103
Le Bars, D., see Jourdan, D. (63) 237
Lees, J., see Paix, A. (63) 263
Lehmann, K.A., see Zech, D.F.J. (63) 65
Leong, Y., see Sternberg, W.F. (63) 321
Lewis, B., Bellomo, R., Lewis, D. and Cumming, G.
A clinical procedure for assessment of severity of knee pain (63) 361
Lewis, D., see Lewis, B. (63) 361
Liebeskind, J.C., see Sternberg, W.F. (63) 321
Lipman, A.G.
Comments on Fitzgibbon and Galer, PAIN, 58 (1994) 429–431 (63) 135
Lund, J.P., see Schwartz, G. (63) 153
Luo, L. and Wiesenfeld-Hallin, Z.
Effects of intrathecal local anesthetics on spinal excitability and on the development of autotomy (63) 173
Lynch, J., see Zech, D.F.J. (63) 65

Maier, C., see Baron, R. (63) 391
Maier, S.F., see Watkins, L.R. (63) 289
Maixner, W., Fillingim, R., Booker, D. and Sigurdsson, A.
Sensitivity of patients with painful temporomandibular disorders to experimentally evoked pain (63) 341
Manning, B.H. and Mayer, D.J.
The central nucleus of the amygdala contributes to the production of morphine antinociception in the formalin test (63) 141
Max, M.B., see Iadarola, M.J. (63) 55
Max, M.B., see Park, K.M. (63) 163
Mayer, D.J., see Manning, B.H. (63) 141
McMahon, S.B., see Andreev, N.Yu. (63) 109
Mens, J.M.A., see Koes, B.W. (63) 279
Mogil, J.S., see Sternberg, W.F. (63) 321
Morris, G.C., Gibson, S.J. and Helme, R.D.
Capsaicin-induced flare and vasodilatation in patients with post-herpetic neuralgia (63) 93
Munglani, R., Bond, A., Smith, G.D., Harrison, S.M., Elliot, P.J., Birch, P.J. and Hunt, S.P.
Changes in neuronal markers in a mononeuropathic rat model: relationship between neuropeptide Y, pre-emptive drug treatment and long-term mechanical hyperalgesia (63) 21

Nachmanoff, D.B., see Collins, J.J. (63) 271
Nakamura-Craig, M. and Follenfant, R.L.
Effect of lamotrigine in the acute and chronic hyperalgesia induced by PGE_2 and in the chronic hyperalgesia in rats with streptozotocin-induced diabetes (63) 33
Naveteur, J., see Honoré, J. (63) 213
Newton-John, T., see Spence, S.H. (63) 199
Nishijima, K., see Sugimoto, T. (63) 49

Olesen, J., see Langemark, M. (63) 103

Page, G.G., see Sternberg, W.F. (63) 321
Paix, A., Coleman, A., Lees, J., Grigson, J., Brooksbank, M., Thorne, D. and Ashby, M.
Subcutaneous fentanyl and sufentanil infusion substitution for morphine intolerance in cancer pain management (63) 263
Park, K.M., Max, M.B., Robinovitz, E., Gracely, R.H. and Bennett, G.J.
Effects of intravenous ketamine, alfentanil, or placebo on pain, pinprick hyperalgesia, and allodynia produced by intradermal capsaicin in human subjects (63) 163
Peeters-Asdourian, C., see Anderson, K.O. (63) 77
Pelletz, R.E., see Anderson, K.O. (63) 77
Pieper, G.M., see Xu, J.Y. (63) 377
Price, D.D., see Kiernan, B.D. (63) 391

Rainer, J., see Kopp, M. (63) 219
Razook, J.C., Chandler, M.J. and Foreman, R.D.
Phrenic afferent input excites C_1-C_2 spinal neurons in rats (63) 117
Richter, R., see Kopp, M. (63) 219
Ridout, D., see Sapsed-Byrne, S. (63) 255
Robinovitz, E., see Park, K.M. (63) 163

Rohde, D.S., see Detweiler, D.J. (63) 251
Romano, J.M., Turner, J.A., Jensen, M.P., Friedman, L.S., Bulcroft, R.A., Hops, H. and Wright, S.F.
Chronic pain patient–spouse behavioral interactions predict patient disability (63) 353
Rumpold, G., see Kopp, M. (63) 219

Sagen, J., see Wang, H. (63) 313
Saito, Y., Kaneko, M., Kirihara, Y., Kosaka, Y. and Collins, J.G.
Intrathecal prostaglandin E_1 produces a long-lasting allodynic state (63) 303
Sakita, M., see Ishimaru, K. (63) 181
Sapsed-Byrne, S., Holdcroft, A. and Ridout, D.
The influence of colonic temperature changes in anaesthetised rats on tail skin temperatures and repeated testing of tail-flick latencies (63) 255
Scholten, R.J.P.M., see Koes, B.W. (63) 279
Schwartz, G. and Lund, J.P.
Modification of rhythmical jaw movements by noxious pressure applied to the periosteum of the zygoma in decerebrate rabbits (63) 153
Schwarzer, A., see Bogduk, N. (63) 391
Schwarzwald, J., see Weisenberg, M. (63) 207
Sharav, Y. and Tal, M.
Hypnotic analgesia and reflex activity (63) 391
Sharpe, L., see Spence, S.H. (63) 199
Sigurdsson, A., see Maixner, W. (63) 341
Sillevis Smitt, P.A.E., see Vecht, Ch.J. (63) 391
Smith, G.D., see Munglani, R. (63) 21
Spence, S.H., Sharpe, L., Newton-John, T. and Champion, D.
Effect of EMG biofeedback compared to applied relaxation training with chronic, upper extremity cumulative trauma disorders (63) 199
Stanton-Hicks, M., Jänig, W., Hassenbusch, S., Haddox, J.D., Boas, R. and Wilson, P.
Reflex sympathetic dystrophy: changing concepts and taxonomy (63) 127
Sternberg, W.F., Mogil, J.S., Kest, B., Page, G.G., Leong, Y., Yam, V. and Liebeskind, J.C.
Neonatal testosterone exposure influences neurochemistry of non-opioid swim stress-induced analgesia in adult mice (63) 321
Stone-Elander, S., see Hsieh, J.-C. (63) 225
Sugimoto, T., Yoshida, A., Nishijima, K. and Ichikawa, H.
Disruption and restoration of dorsal horn sensory map after peripheral nerve crush and regeneration (63) 49
Syrjala, K.L., Donaldson, G.W., Davis, M.W., Kippes, M.E. and Carr, J.E.
Relaxation and imagery and cognitive-behavioral training reduce pain during cancer treatment: a controlled clinical trial (63) 189

Tal, M., see Sharav, Y. (63) 391
Tepper, I., see Weisenberg, M. (63) 207
Thorne, D., see Paix, A. (63) 263
Torebjörk, E., Wahren, L.K., Wallin, G., Hallin, R. and Koltzenburg, M.
Noradrenaline-evoked pain in neuralgia (63) 11
Tseng, L.F., see Xu, J.Y. (63) 377
Turner, J.A., see Romano, J.M. (63) 353

Vaccarino, A.L. and Couret Jr., L.C.
Relationship between hypothalamic-pituitary-adrenal activity and blockade of tolerance to morphine analgesia by pain: a strain comparison (63) 385
Vecht, Ch.J. and Sillevis Smitt, P.A.E.
Phantom or central neuropathic pain? (63) 391

Wahren, L.K., see Torebjörk, E. (63) 11
Wall, P.D.
Noradrenaline-evoked pain in neuralgia (63) 1
Wallin, G., see Torebjörk, E. (63) 11
Walter, M.H., see Kopp, M. (63) 219
Wang, H. and Sagen, J.
Attenuation of pain-related hyperventilation in adjuvant arthritic rats with adrenal medullary transplants in the spinal subarachnoid space (63) 313
Watkins, L.R., Maier, S.F. and Goehler, L.E.
Immune activation: the role of pro-inflammatory cytokines in inflammation, illness responses and pathological pain states (63) 289
Weisenberg, M., Tepper, I. and Schwarzwald, J.
Humor as a cognitive technique for increasing pain tolerance (63) 207
Wiesenfeld-Hallin, Z., see Luo, L. (63) 173
Wilson, P., see Stanton-Hicks, M. (63) 127
Wright, S.F., see Romano, J.M. (63) 353

Xu, J.Y., Pieper, G.M. and Tseng, L.F.
Activation of a NO–cyclic GMP system by NO donors potentiates β-endorphin-induced antinociception in the mouse (63) 377

Yam, V., see Sternberg, W.F. (63) 321
Yoshida, A., see Sugimoto, T. (63) 49

Zech, D.F.J., Grond, S., Lynch, J., Hertel, D. and Lehmann, K.A.
Validation of World Health Organization Guidelines for cancer pain relief: a 10-year prospective study (63) 65